

FUNDER**MATERIAL SAFETY DATA**

TRADE NAME — FUNDERBOARD
SYNONYM — LOW PRESSURE MELAMINE BOARD

ALL EXPOSURE LIMITS ARE 8-HOUR TIME-WEIGHTED-AVERAGES UNLESS OTHERWISE NOTED. OSHA PEL'S AND ACGIH TLV'S ARE CURRENT VALUES.

PHYSICAL DATA

BOILING POINT	N/A	SPECIFIC GRAVITY	24-47 PCF
VAPOR PRESSURE	N/A	PERCENT VOLATILES	<1
VAPOR DENSITY	N/A	EVAPORATION RATE	N/A
SOLUBILITY IN WATER	N/A	APPEARANCE AND ODOR: ANY COLOR BOARD — VERY SLIGHT FORMALDEHYDE ODOR	

FIRE AND EXPLOSION DATA

FLASH POINT (METHOD) N/A

FLAMMABLE LIMITS LEL N/A % UEL N/A

EXTINGUISHING MEDIA CO₂, DRY CHEMICAL, FOAM, WATER FOG

SPECIAL FIRE FIGHTING PROCEDURES THIS MATERIAL HAS COMBUSTION CHARACTERISTICS SIMILAR TO WOOD

UNUSUAL FIRE AND EXPLOSION HAZARDS: PRODUCTS WITH DENSITIES LESS THAN 33 PCF MAY BE PRONE TO SMOLDER LONGER THAN WOOD AFTER FLAMES HAVE BEEN EXTINGUISHED.

HEALTH HAZARD INFORMATION

PRIMARY ROUTES OF EXPOSURE: INHALATION IF DUST IS CREATED DURING FABRICATION.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

ACUTE: IRRITATION OF EYES, NOSE, THROAT, AND LUNGS.

CHRONIC: NONE EXPECTED

AGGRAVATED MEDICAL CONDITIONS: RESPIRATORY ILLNESS.

EMERGENCY AND FIRST AID PROCEDURES

INHALATION: REMOVE TO FRESH AIR.

EYES: FLUSH WITH RUNNING WATER FOR 15 MINUTES.

SKIN: WASH WITH SOAP AND WATER.

INGESTION: GIVE WATER AND INDUCE VOMITING.

OTHER: FORMALDEHYDE HAS BEEN FOUND TO BE CARCINOGENIC IN TESTING LABORATORY ANIMALS.

REACTIVITY DATA

STABLE: X UNSTABLE: _____ HAZARDOUS POLYMERIZATION: _____

CONDITIONS TO AVOID: FIRE AND INTENSE HEAT

INCOMPATIBILITIES: NONE KNOWN

HAZARDOUS DECOMPOSITION PRODUCTS: NONE KNOWN

SPILL AND LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: NORMAL HOUSEKEEPING

DISPOSAL METHOD: IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS

SPECIAL PROTECTION INFORMATION

VENTILATION: NOT NECESSARY UNLESS FABRICATING; IF SO, USE SUFFICIENT VENTILATION TO KEEP EXPOSURES BELOW TLV.

RESPIRATORY PROTECTION (USE ONLY NIOSH CERTIFIED DEVICES): DUST MASK DEVICE DURING FABRICATION IF NECESSARY.

PROTECTIVE CLOTHING: NOT NORMALLY NECESSARY.

EYE PROTECTION: SAFETY GLASSES WITH SIDESHIELDS AS A MINIMUM WHEN FABRICATING.

SPECIAL PRECAUTIONS

NONE KNOWN
