

updated

Format by FEPA as per EC Directive 91/155 and ISO Standard 11014

COMPANY: Address:	KWH Mirka Ltd FIN-66850 Jeppo Finland	Mirka Abrasives, Inc. 7950 Bavaria Rd. Twinsburg, OH 44087	Date 18.06.1997
-----------------------------	--	---	---------------------------

AUTHORIZED PERSON: Mr. Bjarne Strandén

Position: Quality Engineer
 Phone No.: (800) 843-3904 / +358 6 760 2111
 Fax No.: (800) 626-6970 / +358 6 760 2391

IMPORTANT NOTICE:

Coated abrasives are inert products which do not create any risk when handled or stored. When used on grinding machines they require specific measures to protect the operators. During the grinding operation 90 % or more of the particulates of the dust come from the material being ground and, for wet grinding, from aerosols generated by the grinding fluid. Specific attention must therefore be given to the nature of the part and of the fluid and the appropriate protection devices must be installed.

1. PRODUCT IDENTIFICATION

-ABRALON -- 8A

2. COMPOSITION / INFORMATION ON INGREDIENTS

- 2.1 Abrasive
 - Synthetic Aluminium oxide
 - Synthetic Silicon Carbide
 - Zirconia Alumina (ZrO₂ - Al₂O₃)
 - Others: _____
- 2.2 Bond
 - Glue (natural material derived from plant or animal)
 - Cured phenolic resin
 - Cured urea / melamine resin
 - Others: _____
- 2.3 Fillers
 - Calcium carbonate
 - Kaolin
 - Cryolite
 - Others: _____
- 2.4 Backing
 - Paper
 - Cotton cloth
 - Combination, paper cloth
 - Cloth containing polyester
 - Vulcanized fibre
 - Others: Nylon/PUR/Nylonlaminat
- 2.5 Others: _____

ABRASIVE SPECIALISTS & SUPPLY CO., INC.

1060 W. Northbranch Drive
 P.O. Box 268
 Oak Creek, Wisconsin 53154-0268

PHONE 414-570-3410
 800-686-6170

FAX 414-570-3411
 800-686-3293



**MATERIAL SAFETY DATA SHEET
FOR COATED ABRASIVES**



3. HAZARDS IDENTIFICATION

NOT APPLICABLE.

Coated abrasives are not dangerous products as defined in EC Directive No. 609/379.

4. FIRST AID MEASURES

APPLICABLE WHEN COATED ABRASIVES ARE IN USE ON MACHINES.

The following recommendations are basic rules during a grinding operation, they must be followed in conjunction with the information appearing in the Safety data sheets of the material ground and of the grinding fluid when used.

Dust inhalation; Remove from exposure, seek medical advice if symptoms persist.

Eye: Remove from exposure and flush with clean water.
If symptoms persist seek medical advice.

Skin: No hazardous effect known.

Ingestion: No hazardous effect known.

5. FIRE FIGHTING MEASURES

NONE specific. Water, powder, foam, sand, CO₂... can be used if compatible with operating conditions.

6. ACCIDENTAL RELEASE MEASURES

NOT APPLICABLE.

7. HANDLING AND STORAGE

Follow recommendations for machines and national regulations

Store coated abrasives in moderate constant temperature and humidity conditions.

For detailed recommendations refer to the FEPA Safety Leaflet for Coated Abrasives.

8. EXPOSURE CONTROL AND PERSONAL PROTECTION

NOT APPLICABLE WHEN COATED ABRASIVES ARE HANDLED OR STORED.

During the grinding operation with coated abrasives particles of dust come from the material being ground. The general value for dust is max. 6 mg/m³

When using coated abrasives, refer to grinding machines instructions and to the national rules. Refer also to the FEPA Safety Leaflet for Coated Abrasives.

8.1 The following personal protective equipment should be used dependant on the operation and the material being ground:


- | | |
|------------------|--|
| Eye protection: | Machine guarding and safety goggles or face shield |
| Dust protection: | Use of dust mask |
| Hand protection: | Use of barrier cream or protective gloves |
| Ear protection: | Use of ear defenders or equivalent |
| Skin protection: | Use of suitable protective clothing |

8.2 Hygiene measures:

No specific requirements

9. PHYSICAL AND CHEMICAL PROPERTIES

- | | | |
|------|---------------------------|---|
| 9.1 | Physical state: | Solid |
| 9.2 | Colour: | Variable |
| 9.3 | Odour: | Not applicable (May give off non specific odour in use) |
| 9.4 | pH: | Not applicable |
| 9.5 | Change of physical state: | Not applicable |
| 9.6 | Density: | Not applicable |
| | Bulk density: | Not applicable |
| 9.7 | Vapour pressure: | Not applicable |
| 9.8 | Flash point: | Not applicable |
| 9.9 | Explosion properties: | Not applicable |
| 9.10 | Viscosity: | Not applicable |
| 9.11 | Solubility in water: | Not defined |



**MATERIAL SAFETY DATA SHEET
FOR COATED ABRASIVES**



10.	STABILITY AND REACTIVITY
10.1	Coated abrasives are stable and non reactive when handled or stored. Conditions to avoid: Not applicable
10.2	Material to avoid: Strong acids, strong bases & strong oxidising agents may modify the mechanical characteristics of the products and create safety hazards when used on machines.
10.3	Hazardous decomposition products: if coated abrasives are used in accordance with instructions no hazardous decomposition products are created.
11.	TOXICOLOGICAL INFORMATION NOT APPLICABLE WHEN HANDLED OR STORED According to the experience gathered for many years, the abrasives, when properly used have no adverse effect on health, refer to the preliminary note about dust and aerosols of grinding fluid.
12.	ECOLOGICAL INFORMATION
12.1	Mobility: Not applicable.
12.2	Persistence and degradability: Not defined.
12.3	Bioaccumulative potential: Not applicable
12.4	Ecotoxicity: Not applicable
13.	DISPOSAL CONSIDERATIONS After use, coated abrasives may be contaminated with hazardous materials (particles or cooling agents) and should be disposed of in accordance with national regulations.
14.	TRANSPORT Coated abrasives are not dangerous products.
15.	REGULATORY INFORMATION EC-Regulations: NONE, no specific marking required under the EC-Directive No. 88/379 National or Local Regulations: Refer to relevant texts
16.	OTHER INFORMATION Warning! The above indications are based on the existing practice and do not constitute a guarantee. The laws and regulations must be strictly followed by the users who remain responsible for the use of coated abrasives